

Reference list with links to PubMed: WM-2000™

*Lists of published articles for specific topics with live links to the National Library of Medicine (NLM) PubMed database (MEDLINE). These catalogs are limited to MEDLINE-listed citations. Natural Standard also aggregates many publications that are not MEDLINE listed, that are not included in these online lists. These additional citations are available as a part of **Natural Standard** special reports, which can be ordered through questions@naturalstandard.com.*

1. Ajayi, F. A. and Lale, N. E. Susceptibility of unprotected seeds and seeds of local bambara groundnut cultivars protected with insecticidal essential oils to infestation by *Callosobruchus maculatus* (F.) (Coleoptera: Bruchidae). *J.Stored.Prod.Res.* 1-15-2000;37(1):47-62. [View Abstract](#)
2. Al Amin, Z. M., Thomson, M., Al Qattan, K. K., Peltonen-Shalaby, R., and Ali, M. Anti-diabetic and hypolipidaemic properties of ginger (*Zingiber officinale*) in streptozotocin-induced diabetic rats. *Br.J.Nutr.* 2006;96(4):660-666. [View Abstract](#)
3. Asghar, M., Monjok, E., Kouamou, G., Ohia, S. E., Bagchi, D., and Lokhandwala, M. F. Super CitriMax (HCA-SX) attenuates increases in oxidative stress, inflammation, insulin resistance, and body weight in developing obese Zucker rats. *Mol.Cell Biochem.* 2007;304(1-2):93-99. [View Abstract](#)
4. Badmaev, V., Majeed, M., and Conte, A. A. *Garcinia cambogia* for weight loss. *JAMA* 7-21-1999;282(3):233-234. [View Abstract](#)
5. Bjorvell, H. and Rossner, S. Long-term effects of commonly available weight reducing programmes in Sweden. *Int.J.Obes.* 1987;11(1):67-71. [View Abstract](#)
6. Cherniack, E. P. Potential applications for alternative medicine to treat obesity in an aging population. *Altern.Med.Rev.* 2008;13(1):34-42. [View Abstract](#)
7. Downs, B. W., Bagchi, M., Subbaraju, G. V., Shara, M. A., Preuss, H. G., and Bagchi, D. Bioefficacy of a novel calcium-potassium salt of (-)-hydroxycitric acid. *Mutat.Res.* 11-11-2005;579(1-2):149-162. [View Abstract](#)
8. Festin, M. Nausea and vomiting in early pregnancy. *Clin.Evid.(Online.)* 2007;2007[View Abstract](#)
9. Fillmore, C. M., Bartoli, L., Bach, R., and Park, Y. Nutrition and dietary supplements. *Phys.Med.Rehabil.Clin.N.Am.* 1999;10(3):673-703. [View Abstract](#)
10. Firenzuoli, F. and Gori, L. *Garcinia cambogia* for weight loss. *JAMA* 7-21-1999;282(3):234. [View Abstract](#)
11. Greenway, F. L., Liu, Z., Martin, C. K., Kai-yuan, W., Nofziger, J., Rood, J. C., Yu, Y., and Amen, R. J. Safety and efficacy of NT, an herbal supplement, in treating human obesity. *Int.J.Obes.(Lond)* 2006;30(12):1737-1741. [View Abstract](#)
12. Hasani-Ranjbar, S., Nayebi, N., Larijani, B., and Abdollahi, M. A systematic review of the efficacy and safety of herbal medicines used in the treatment of obesity. *World J.Gastroenterol.* 7-7-2009;15(25):3073-3085. [View Abstract](#)
13. Heber, D. Herbal preparations for obesity: are they useful? *Prim.Care* 2003;30(2):441-463. [View Abstract](#)
14. Heymsfield, S. B., Allison, D. B., Vasselli, J. R., Pietrobelli, A., Greenfield, D., and Nunez, C. *Garcinia cambogia* (hydroxycitric acid) as a potential antiobesity agent: a randomized controlled trial. *JAMA* 11-11-1998;280(18):1596-1600. [View Abstract](#)
15. Jena, B. S., Jayaprakasha, G. K., Singh, R. P., and Sakariah, K. K. Chemistry and biochemistry of (-)-hydroxycitric acid from *Garcinia*. *J.Agric.Food Chem.* 1-2-2002;50(1):10-22. [View Abstract](#)
16. Lau, F. C., Bagchi, M., Sen, C., Roy, S., and Bagchi, D. Nutrigenomic analysis of diet-gene interactions on functional supplements for weight management. *Curr.Genomics* 2008;9(4):239-251. [View Abstract](#)
17. Lenz, T. L. and Hamilton, W. R. Supplemental products used for weight loss. *J.Am.Pharm.Assoc.(2003.)* 2004;44(1):59-67. [View Abstract](#)
18. Lira-Garcia, C., Souto-Gallardo, M., Bacardi-Gascon, M., and Jimenez-Cruz, A. [A systematic review of the

- effectiveness of alternative weight-loss products' ingredients]. *Rev.Salud Publica (Bogota.)* 2008;10(5):818-830. [View Abstract](#)
19. Lobb, A. Hepatotoxicity associated with weight-loss supplements: a case for better post-marketing surveillance. *World J.Gastroenterol.* 4-14-2009;15(14):1786-1787. [View Abstract](#)
 20. Luo, H., Kashiwagi, A., Shibahara, T., and Yamada, K. Decreased bodyweight without rebound and regulated lipoprotein metabolism by gymnemate in genetic multifactor syndrome animal. *Mol.Cell Biochem.* 2007;299(1-2):93-98. [View Abstract](#)
 21. Mansi, I. A. and Huang, J. Rhabdomyolysis in response to weight-loss herbal medicine. *Am.J.Med.Sci.* 2004;327(6):356-357. [View Abstract](#)
 22. Mattes, R. D. and Bormann, L. Effects of (-)-hydroxycitric acid on appetitive variables. *Physiol Behav.* 10-1-2000;71(1-2):87-94. [View Abstract](#)
 23. McCarty, M. F. Inhibition of citrate lyase may aid aerobic endurance. *Med.Hypotheses* 1995;45(3):247-254. [View Abstract](#)
 24. Min, B., McBride, B. F., Kardas, M. J., Ismaili, A., Sinha, V., Kluger, J., and White, C. M. Electrocardiographic effects of an Ephedra-Free, multicomponent weight-loss supplement in healthy volunteers. *Pharmacotherapy* 2005;25(5):654-659. [View Abstract](#)
 25. Moser, V. C., Barone S Jr, Smialowicz, R. J., Harris, M. W., Davis, B. J., Overstreet, D., Mauney, M., and Chapin, R. E. The effects of perinatal tebuconazole exposure on adult neurological, immunological, and reproductive function in rats. *Toxicol.Sci.* 2001;62(2):339-352. [View Abstract](#)
 26. Moser, V. C., Phillips, P. M., Levine, A. B., McDaniel, K. L., Sills, R. C., Jortner, B. S., and Butt, M. T. Neurotoxicity produced by dibromoacetic acid in drinking water of rats. *Toxicol.Sci.* 2004;79(1):112-122. [View Abstract](#)
 27. Moser, V. C., Phillips, P. M., McDaniel, K. L., and Sills, R. C. Neurotoxicological evaluation of two disinfection by-products, bromodichloromethane and dibromoacetonitrile, in rats. *Toxicology* 2-12-2007;230(2-3):137-144. [View Abstract](#)
 28. Opala, T., Rzymiski, P., Pischel, I., Wilczak, M., and Wozniak, J. Efficacy of 12 weeks supplementation of a botanical extract-based weight loss formula on body weight, body composition and blood chemistry in healthy, overweight subjects--a randomised double-blind placebo-controlled clinical trial. *Eur.J.Med.Res.* 8-30-2006;11(8):343-350. [View Abstract](#)
 29. Pittler, M. H. and Ernst, E. Dietary supplements for body-weight reduction: a systematic review. *Am.J.Clin.Nutr.* 2004;79(4):529-536. [View Abstract](#)
 30. Pittler, M. H., Schmidt, K., and Ernst, E. Adverse events of herbal food supplements for body weight reduction: systematic review. *Obes.Rev.* 2005;6(2):93-111. [View Abstract](#)
 31. Power, M. L., Holzman, G. B., and Schulkin, J. A survey on the management of nausea and vomiting in pregnancy by obstetrician/gynecologists. *Prim.Care Update.Ob Gyns.* 2001;8(2):69-72. [View Abstract](#)
 32. Preuss, H. G., Jarrell, S. T., Scheckenbach, R., Lieberman, S., and Anderson, R. A. Comparative effects of chromium, vanadium and gymnema sylvestre on sugar-induced blood pressure elevations in SHR. *J.Am.Coll.Nutr.* 1998;17(2):116-123. [View Abstract](#)
 33. Preuss, H. G., Rao, C. V., Garis, R., Bramble, J. D., Ohia, S. E., Bagchi, M., and Bagchi, D. An overview of the safety and efficacy of a novel, natural(-)-hydroxycitric acid extract (HCA-SX) for weight management. *J.Med.* 2004;35(1-6):33-48. [View Abstract](#)
 34. Preuss, H. G., Bagchi, D., Bagchi, M., Rao, C. V., Dey, D. K., and Satyanarayana, S. Effects of a natural extract of (-)-hydroxycitric acid (HCA-SX) and a combination of HCA-SX plus niacin-bound chromium and *Gymnema sylvestre* extract on weight loss. *Diabetes Obes.Metab* 2004;6(3):171-180. [View Abstract](#)
 35. Preuss, H. G., Garis, R. I., Bramble, J. D., Bagchi, D., Bagchi, M., Rao, C. V., and Satyanarayana, S. Efficacy of a novel calcium/potassium salt of (-)-hydroxycitric acid in weight control. *Int.J.Clin.Pharmacol.Res.* 2005;25(3):133-144. [View Abstract](#)
 36. Rautray, T. R., Vijayan, V., and Panigrahi, S. Analysis of Indian cholesterol gallstones by particle-induced

X-ray emission and thermogravimetry-derivative thermogravimetry. *Eur.J.Gastroenterol.Hepatol.* 2006;18(9):999-1003. [View Abstract](#)

37. Roberts, A. T., Martin, C. K., Liu, Z., Amen, R. J., Woltering, E. A., Rood, J. C., Caruso, M. K., Yu, Y., Xie, H., and Greenway, F. L. The safety and efficacy of a dietary herbal supplement and gallic acid for weight loss. *J.Med.Food* 2007;10(1):184-188. [View Abstract](#)
38. Roongpisuthipong, C., Kantawan, R., and Roongpisuthipong, W. Reduction of adipose tissue and body weight: effect of water soluble calcium hydroxycitrate in *Garcinia atroviridis* on the short term treatment of obese women in Thailand. *Asia Pac.J.Clin.Nutr.* 2007;16(1):25-29. [View Abstract](#)
39. Schaller, J. L. *Garcinia cambogia* for weight loss. *JAMA* 7-21-1999;282(3):234. [View Abstract](#)
40. Sharpe, P. A., Granner, M. L., Conway, J. M., Ainsworth, B. E., and Dobre, M. Availability of weight-loss supplements: Results of an audit of retail outlets in a southeastern city. *J.Am.Diet.Assoc.* 2006;106(12):2045-2051. [View Abstract](#)
41. Stevens, T., Qadri, A., and Zein, N. N. Two patients with acute liver injury associated with use of the herbal weight-loss supplement hydroxycut. *Ann.Intern.Med.* 3-15-2005;142(6):477-478. [View Abstract](#)
42. York, D. A., Thomas, S., Greenway, F. L., Liu, Z., and Rood, J. C. Effect of an herbal extract Number Ten (NT) on body weight in rats. *Chin Med.* 2007;2:10. [View Abstract](#)