

CFIA Pesticide residue testing results

REGION	PRODUCT	ORIGIN	DATE SAMPLED	PESTICIDE RESIDUE ANALYTE	AMOUNT MEASURED BY CFIA IN PPM*	VIOLATION OF MRL**	COMMENT
ONTARIO	Dill	USA	01/24/2011	Atrazine	0.0038	No Violation	No MRL: general 0.1 ppm MRL applies
MAN-SAS	Basil	ISR	02/07/2011	Azoxystrobin	0.0027	No Violation	No MRL for basil; general 0.1 ppm MRL applies
BC	Tomato	MEX	01/27/2011	Azoxystrobin	0.015	No Violation	MRL is 0.2 ppm for tomatoes
QUEBEC	Grape	MEX	06/28/2011	Bifenthrin	0.0028	No Violation	No MRLs; general 0.1 ppm MRL applies
BC	Apple	USA	04/21/2011	Boscalid	0.011	No Violation	MRL for apples is 3.0 ppm
ONTARIO	Apple	USA	01/19/2011	Captan	0.0067	No Violation	MRL is 5.0 ppm for apples
ONTARIO	Apple	USA	01/06/2011	Captan	0.0139	No Violation	MRL is 5.0 ppm for apples
ONTARIO	Apple	USA	01/19/2011	Captan	0.0201	No Violation	MRL is 5.0 ppm for apples
ALBERTA	Apple	USA	02/03/2011	Captan	0.0275	No Violation	MRL is 5.0 ppm for apples
MAN-SAS	Apple	USA	05/02/2011	Captan	0.0627	No Violation	MRL is 5.0 ppm for apples
MAN-SAS	Apple	USA	06/15/2011	Captan	0.0802	No Violation	MRL is 5.0 ppm for apples
ONTARIO	Apple	USA	03/01/2011	Captan	0.1278	No Violation	MRL is 5.0 ppm for apples
ONTARIO	Potato	CAN	03/07/2011	Chlorpropham	0.0415	No Violation	MRL is 15.0 ppm in potatoes
ONTARIO	Potato	USA	07/26/2011	Chlorpropham	0.175	No Violation	MRL is 15.0 ppm in potatoes
ONTARIO	Apple	USA	01/24/2011	Chlorpyrifos	0.0006	No Violation	MRL is 0.01 ppm for apples
QUEBEC	Plum	USA	06/28/2011	Chlorpyrifos	0.0019	No Violation	No MRL for plums; general 0.1 ppm MRL applies
ONTARIO	Lettuce	USA	06/15/2011	Cyprodinil	0.0008	No Violation	MRL is 30 ppm for leaf lettuce
QUEBEC	Apple	CHL	06/08/2011	Cyprodinil	0.051	No Violation	No MRL for apples; general 0.1 ppm MRL applies

ONTARIO	Lettuce	USA	06/15/2011	Dacthal	0.0006	No Violation	MRL is 2.0 ppm for lettuce
ONTARIO	Dill	USA	01/24/2011	Dacthal	0.006	No Violation	No MRL for dill; general 0.1 ppm MRL applies
ONTARIO	Lettuce	USA	07/18/2011	Dacthal	0.008	No Violation	MRL is 2.0 ppm for lettuce
ALBERTA	Apple	USA	05/16/2011	Diphenylamine	0.0009	No Violation	MRL is 5.0 ppm for apples
QUEBEC	Apple	CHL	06/08/2011	Diphenylamine	0.0011	No Violation	MRL is 5.0 ppm for apples
BC	Apple	USA	05/10/2011	Diphenylam	0.0012	No Violation	MRL is 5.0 ppm for apples
ALBERT	Apple	USA	03/23/2011	Diphenylam	0.0015	No Violation	MRL is 5.0 ppm for apples
BC	Apple	CAN	05/02/2011	Diphenylam	0.002	No Violation	MRL is 5.0 ppm for apples
QUEBEC	Apple	USA	05/12/2011	Diphenylamine	0.0022	No Violation	MRL is 5.0 ppm for apples
MAN-SAS	Apple	USA	06/15/2011	Diphenylamine	0.0024	No Violation	MRL is 5.0 ppm for apples
ONTARIO	Apple	USA	03/01/2011	Diphenylamine	0.0027	No Violation	MRL is 5.0 ppm for apples
QUEBEC	Apple	USA	05/13/2011	Diphenylamine	0.0029	No Violation	MRL is 5.0 ppm for apples
MAN-SAS	Apple	USA	06/15/2011	Diphenylamine	0.0029	No Violation	MRL is 5.0 ppm for apples
ALBERTA	Apple	USA	02/03/2011	Diphenylamine	0.003	No Violation	MRL is 5.0 ppm for apples
QUEBEC	Apple	USA	02/21/2011	Diphenylamine	0.0031	No Violation	MRL is 5.0 ppm for apples
MAN-SAS	Apple	USA	03/08/2011	Diphenylamine	0.0032	No Violation	MRL is 5.0 ppm for apples
BC	Apple	CAN	05/11/2011	Diphenylamine	0.0037	No Violation	MRL is 5.0 ppm for apples
BC	ADDie-	USA	05/12/2011	Diphenylamine	0.0043	No Violation	MRL is 5.0 ppm for apples
ALBERTA	Apple	USA	02/03/2011	Diphenylam	0.0049	No Violation	MRL is 5.0 ppm for apples
ONTARIO	Apple	USA	01/25/2011	Diphenylamine	0.0068	No Violation	MRL is 5.0 ppm for apples
ONTARIO	Apple	CAN	02/15/2011	Diphenylamine	0.0072	No Violation	MRL is 5.0 ppm for apples

ONTARIO	Apple	USA	03/09/2011	Diphenylamine	0.0076	No Violation	MRL is 5.0 ppm for apples
MAN-SAS	Apple	USA	03/08/2011	Diphenylamine	0.0085	No Violation	MRL is 5.0 ppm for apples
ONTARIO	Apple	USA	01/24/2011	Diphenylamine	0.009	No Violation	MRL is 5.0 ppm for apples
QUEBEC	Apple	CHL	05/03/2011	Diphenylam	0.009	No Violation	MRL is 5.0 ppm for apples
ATLANTIC	Apple	USA	05/16/2011	Diphenylamine	0.009	No Violation	MRL is 5.0 ppm for apples
ATLANTIC	Apple	USA	06/27/2011	Diphenylamine	0.0091	No Violation	MRL is 5.0 ppm for apples
ATLANTIC	Apple	USA	01/11/2011	Diphenylamine	0.0105	No Violation	MRL is 5.0 ppm for apples
ATLANTIC	Apple	USA	01/18/2011	Diphenylam	0.011	No Violation	MRL is 5.0 ppm for apples
QUEBEC	Apple	USA	06/22/2011	Diphenylam	0.0121	No Violation	MRL is 5.0 ppm for apples
QUEBEC	Apple	USA	05/13/2011	Diphenylam	0.029	No Violation	MRL is 5.0 ppm for apples
ATLANTIC	Apple	CAN	01/18/2011	Diphenylamine	0.0533	No Violation	MRL is 5.0 ppm for apples
ONTARIO	Melon	MEX	06/10/2011	Endosulfan	0.0252	No Violation	MRL is 1.0 ppm for melons
QUEBEC	Apple	USA	05/13/2011	Fludioxonil	0.0039	No Violation	MRL is 5.0 ppm for apples
BC	Apple	USA	04/21/2011	Fludioxonil	0.007	No Violation	MRL is 5.0 ppm for apples
ATLANTIC	Apple	USA	05/16/2011	Fludioxonil	0.038	No Violation	MRL is 5.0 ppm for apples
QUEBEC	Apple	CHL	05/03/2011	Folpet	0.016	No Violation	MRL is 25 ppm for apple
ONTARIO	Orange	USA	01/11/2011	Imazalil	0.41	No Violation	MRL is 5.0 ppm for citrus fruits
ONTARIO	Apple	USA	01/24/2011	Iprodione	0.8754	Violation	No MRL for apples; general 0.1 ppm MRL applies
QUEBEC	Carrot	USA	06/28/2011	o,p'-DDE	0.0083	No Violation	MRL is 0.5 ppm for fresh vegetables (DDT defn. includes DDDrrDE)
QUEBEC	Carrot	USA	06/28/2011	o,p'-DDT	0.0112	No Violation	MRL is 0.5 ppm for fresh vegetables (DDT defn. includes DDDrrDE)
ONTARIO	Lettuce	USA	06/15/2011	p,p'-DDE	0.0006	No Violation	MRL is 0.5 ppm for fresh vegetables (DDT defn. includes DDDrrDE)
BC	Lettuce	USA	02/23/2011	p,p'-DDE	0.001	No Violation	MRL is 0.5 ppm for fresh vegetables (DDT defn. includes DDDrrDE)

QUEBEC	Carrot	USA	05/26/2011	p,p'-DDE	0.0011	No Violation	MRL is 0.5 ppm for fresh vegetables (DDT defn. includes DDDrrDE)
QUEBEC	Celery.	USA	06/28/2011	p,p'-DDE	0.0014	No Violation	MRL is 0.5 ppm for fresh vegetables (DDT defn. includes DDDrrDE)
QUEBEC	Lettuce	USA	06/28/2011	p,p'-DDE	0.0016	No Violation	MRL is 0.5 ppm for fresh vegetables (DDT defn. includes DDDrrDE)
QUEBEC	Carrot	USA	06/23/2011	p,p'-DDE	0.0041	No Violation	MRL is 0.5 ppm for fresh vegetables (DDT defn. includes DDDrrDE)
QUEBEC	Carrot	USA	06/28/2011	p,p'-DDE	0.1968	No Violation	MRL is 0.5 ppm for fresh vegetables (DDT defn. includes DDDrrDE)
QUEBEC	Carrot	USA	05/26/2011	Permethrin	0.0022	No Violation	No MRL for carrot; general 0.1 ppm MRL applies
BC	Pumpkin	USA	05/31/2011	Chlorpropham	0.0034	No Violation	No MRL for pumpkin; general 0.1 ppm MRL applies
BC	Pumpkin	USA	05/16/2011	Folpet	0.0106	No Violation	MRL is 15 ppm for pumpkin
ONTARIO	Tomato	MEX	12/24/2010	Carbaryl	0.0164	No Violation	MRL is 5.0 for tomatoes
BC	Pear	USA	11/08/2010	Carbendazim	0.0036	No Violation	MRL is 5.0 ppm for pears
ONTARIO	Lime	MEX	03/28/2011	Carbendazim	0.00864	No Violation	MRL is 10 ppm for citrus fruits
MAN-SAS	Parsley	ISR	05/18/2011	Difenoconazole	0.0105	No Violation	No MRL for parsley; general 0.1 ppm MRL applies
ATLANTIC	Apple	USA	11/10/2010	Etoxazole	0.0021	No Violation	MRL is 0.2 ppm for apples
ONTARIO	Dill	USA	01/24/2011	Fenamidone	0.00204	No Violation	No MRL for dill; general 0.1 ppm MRL applies
BC	Pear	USA	11/08/2010	Fenpyroximate	0.0055	No Violation	No MRLs; general 0.1 ppm MRL applies
ONTARIO	Pepper	BEL	05/17/2011	Imidacloprid	0.002	No Violation	MRL is 1.0 ppm for peppers
ONTARIO	Melon Honeydew	MEX	06/10/2011	Imidacloprid	0.0053	No Violation	MRL is 0.5 ppm for various melons
MAN-SAS	Parsley	ISR	05/18/2011	Imidacloprid	0.0104	No Violation	MRL is 1.0 ppm for citrus fruits

MAN-SAS	Basil	ISR	02/07/2011	Indoxacarb	0.0049	No Violation	No MRLs; general 0.1 ppm MRL applies
MAN-SAS	Orange	USA	01/28/2011	Oxamyl-oxime	0.00195	No Violation	No MRL for orange; general 0.1 ppm MRL applies
MAN-SAS	Pepper	MEX	02/02/2011	Oxamyl-oxime	0.00524	No Violation	No MRL for peppers; general 0.1 ppm MRL applies
ONTARIO	Celery	USA	11/08/2010	Pyraclostrobin	0.00254	No Violation	MRL is 29 ppm for celery
MAN-SAS	Parsley	ISR	05/18/2011	Pyraclostrobin	0.0026	No Violation	No MRL for parsley; general 0.1 ppm MRL applies
BC	Tomato	ISR	01/27/2011	Pyrimethanil	0.0016	No Violation	MRL is 0.5 ppm for tomatoes
ONTARIO	Apple	USA	01/06/2011	Pyrimethanil	0.002	No Violation	MRL is 14 ppm for apples
ALBERTA	Apple	USA	03/28/2011	Pyrimethanil	0.002	No Violation	MRL is 14 ppm for apples
ATLANTIC	Apple	USA	01/11/2011	Pyrimethanil	0.0022	No Violation	MRL is 14 ppm for apples
MAN-SAS	Apple	USA	02/07/2011	Spinosyn A	0.001	No Violation	MRL is 0.1 ppm for apples
BC	Apple	USA	03/23/2011	Spinosyn A	0.00109	No Violation	MRL is 0.1 ppm for apples
BC	Pear	USA	11/08/2010	Spinosyn A	0.0019	No Violation	MRL is 0.1 ppm for pear
ATLANTIC	Apple	USA	05/16/2011	Spinosyn A	0.002	No Violation	MRL is 0.1 ppm for apples
QUEBEC	Apple	USA	05/13/2011	Spinosyn A	0.0026	No Violation	MRL is 0.1 ppm for apples
ONTARIO	Apple	USA	01/24/2011	Spinosyn A	0.0027	No Violation	MRL is 0.1 ppm for apples
MAN-SAS	Apple	USA	12/10/2010	Spinosyn A	0.00336	No Violation	MRL is 0.1 ppm for apples
MAN-SAS	Apple	USA	03/08/2011	Spinosyn A	0.0041	No Violation	MRL is 0.1 ppm for apples
ONTARIO	Apple	USA	03/17/2011	Spinosyn A	0.006	No Violation	MRL is 0.1 ppm for apples
MAN-SAS	Lettuce Leaf	USA	04/20/2011	Spinosyn A	0.00666	No Violation	MRL is 7.0 ppm for leaf/head lettuce
MAN-SAS	Lettuce Leaf	MEX	01/19/2011	Spinosyn A	0.0067	No Violation	MRL is 7.0 ppm for leaf/head lettuce

ALBERTA	Apple	USA	03/28/2011	Spinosyn A	0.009	No Violation	MRL is 0.1 ppm for apples
BC	Spinach	USA	02/23/2011	Spinosyn A	0.0183	No Violation	MRL is 7.0 ppm for spinach
MAN-SAS	Apple	USA	03/08/2011	Spinosyn D	0.0026	No Violation	MRL is 0.1 ppm for apples
ONTARIO	Apple	USA	01/24/2011	Spinosyn D	0.0029	No Violation	MRL is 0.1 ppm for apples
ALBERTA	Apple	USA	03/28/2011	Spinosyn D	0.003	No Violation	MRL is 0.1 ppm for apples
BC	Tomato	ISR	01/27/2011	Spinosyn D	0.037	No Violation	MRL is 0.2 ppm for tomatoes
MAN-SAS	Apple	USA	02/07/2011	Thiabendazole	0.001	No Violation	MRL is 10 ppm for apples
ONTARIO	Lime	MEX	03/28/2011	Thiabendazole	0.00105	No Violation	MRL is 10 ppm for citrus fruits
ONTARIO	Carrot	CAN	11/08/2010	Thiabendazole	0.0011	No Violation	No MRL for carrot; general 0.1 ppm MRL applies
BC	Apple	CAN	12/16/2010	Thiabendazole	0.0015	No Violation	MRL is 10 ppm for apples
MAN-SAS	Lettuce	MEX	01/19/2011	Thiabendazole	0.0016	No Violation	No MRL for lettuce; general 0.1 ppm MRL applies
BC	Apple	USA	02/18/2011	Thiabendazole	0.0018	No Violation	MRL is 10 ppm for apples
ONTARIO	Apple	USA	03/17/2011	Thiabendazole	0.002	No Violation	MRL is 10 ppm for apples
ONTARIO	Apple	USA	05/09/2011	Thiabendazole	0.002	No Violation	MRL is 10 ppm for apples
ONTARIO	Apple	USA	01/06/2011	Thiabendazole	0.002	No Violation	MRL is 10 ppm for apples
BC	Apple	CAN	12/15/2010	Thiabendazole	0.0022	No Violation	MRL is 10 ppm for apples
ONTARIO	Apple	USA	01/24/2011	Thiabendazole	0.0024	No Violation	MRL is 10 ppm for apples
QUEBEC	Grapefruit	MEX	12/21/2010	Thiabendazole	0.0027	No Violation	MRL is 10 ppm for citrus fruits
BC	Apple	USA	03/23/2011	Thiabendazole	0.00278	No Violation	MRL is 10 ppm for apples
BC	Apple	CAN	11/17/2010	Thiabendazole	0.0032	No Violation	MRL is 10 ppm for apples

MAN-SAS	Apple	USA	03/22/2011	Thiabendazole	0.0046	No Violation	MRL is 10 ppm for apples
ONTARIO	Cherry	USA	07/05/2011	Thiabendazole	0.005	No Violation	No MRL for cherry; general 0.1 ppm MRL applies
ONTARIO	Lemon	USA	01/24/2011	Thiabendazole	0.00634	No Violation	MRL is 10 ppm for citrus fruits
QUEBEC	Apple	USA	02/21/2011	Thiabendazole	0.00694	No Violation	MRL is 10 ppm for apples
ONTARIO	Apple	USA	01/06/2011	Thiabendazole	0.0071	No Violation	MRL is 10 ppm for apples
MAN-SAS	Apple	USA	05/02/2011	Thiabendazole	0.0081	No Violation	MRL is 10 ppm for apples
ALBERTA	Apple	USA	03/28/2011	Thiabendazole	0.009	No Violation	MRL is 10 ppm for apples
BC	Apple	USA	12/03/2010	Thiabendazole	0.0163	No Violation	MRL is 10 ppm for apples
ONTARIO	Apple	USA	11/01/2010	Thiabendazole	0.038	No Violation	MRL is 10 ppm for apples
ONTARIO	Apple	USA	11/01/2010	Thiabendazole	0.21	No Violation	MRL is 10 ppm for apples
ONTARIO	Apple	USA	11/01/2010	Thiabendazole	0.27	No Violation	MRL is 10 ppm for apples
MAN-SAS	Orange	USA	01/12/2011	Thiabendazole	1.368	No Violation	MRL is 10 ppm for citrus fruits
<p>*PPM - Parts per million **MRL - Maximum residue level</p>							